



Declaration of Performance

arcon Ornilux mikado oHT



Coated glass, intended to be used in buildings and construction works

arcon
 Flachglas-Veredlung GmbH & Co. KG
 Werk Feuchtwangen
 Industriestraße 10
 D - 91555 Feuchtwangen

arcon
 Flachglas-Veredlung GmbH & Co. KG
 Werk Bucha
 Gewerbegebiet "Am Amselberg" Schorba 4
 D - 07751 Bucha

www.arcon-glas.de
info@arcon-glas.de

EN 1096-4:2018

Essential characteristics	LE/DoP-Nr.	10060004/CPR/ 2013-07-01	10060005/CPR/ 2013-07-01	10060006/CPR/ 2013-07-01	10060008/CPR/ 2013-07-01	10060010/CPR/ 2013-07-01	10060012/CPR/ 2013-07-01
	AVCP Systems	4 mm	5 mm	6 mm	8 mm	10 mm	12 mm
Safety in case of fire							
Resistance to fire	1	NPD	NPD	NPD	NPD	NPD	NPD
Reaction to fire	3.4	A1	A1	A1	A1	A1	A1
External fire performance	3.4	NPD	NPD	NPD	NPD	NPD	NPD
Safety in use							
Bullet resistance	1	NPD	NPD	NPD	NPD	NPD	NPD
Explosion resistance	1	NPD	NPD	NPD	NPD	NPD	NPD
Burglar resistance	3	NPD	NPD	NPD	NPD	NPD	NPD
Pendulum body impact resistance	3	NPD	NPD	NPD	NPD	NPD	NPD
Resistance against sudden temperature changes and temperature differentials (K)	4	40	40	40	40	40	40
Wind, snow, permanent and imposed load resistance (mm)	4	4	5	6	8	10	12
Protection against noise							
Direct airborne sound reduction (db)	3	30 (-2, -4)	30 (-1, -2)	31 (-1, -3)	32 (-1, -2)	34 (-2, -3)	35 (-2, -3)
Thermal properties							
U-value (W/m²K)	3	NPD	NPD	NPD	NPD	NPD	NPD
Declared normal emissivity ϵ_n coated side	3	0.89	0.89	0.89	0.89	0.89	0.89
Radiation properties							
Light transmission: τ_v	3	86	86	86	85	84	84
Light reflection coated/uncoated side ρ_v, ρ_v'	3	12 / 12	12 / 12	12 / 12	12 / 12	12 / 12	12 / 12
Solar energy characteristics							
Solar transmission τ_e	3	83	82	81	78	76	74
Solar reflection coated/uncoated side ρ_e, ρ_e'	3	11 / 11	11 / 10	10 / 10	10 / 10	10 / 10	10 / 10
Solar factor	3	NPD	NPD	NPD	NPD	NPD	NPD
Durability	3	PASS	PASS	PASS	PASS	PASS	PASS

NPD: No Performance Determined

The performance of the product identified is in conformity with the declared performance above.
 This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Name and function	Place and date of issue	Signature
Torsten Kunze Head Quality Management Coating Div.	Feuchtwangen, Bucha, 2021-04-01	